

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/657,091	09/09/2003	Hiroyuki Tsuji	11-182 9837	
23400	7590 06/02/2005	EXAMINER		
POSZ LAW GROUP, PLC			AU, SCOTT D	
12040 SOUTH LAKES DRIVE SUITE 101			ART UNIT	PAPER NUMBER
RESTON, VA 20191			2635	
			DATE MAILED: 06/02/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

<u></u>		X		
	Application No.	Applicant(s)		
	10/657,091	TSUJI ET AL.		
Office Action Summary	Examiner	Art Unit		
	Scott Au	2635		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address !		
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time, within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on <u>09 September 2003</u> . This action is FINAL . 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims				
4) ⊠ Claim(s) 1-12 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-12 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/o	vn from consideration.			
Application Papers				
9) The specification is objected to by the Examine 10) The drawing(s) filed on <u>09 September 2003</u> is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	are: a)⊠ accepted or b)⊡ objec drawing(s) be held in abeyance. See ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority documents application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage		
Attachment(s)				
1) Notice of References Cited (PTO-892)	4) Interview Summary			
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date <u>9092003</u>. 	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate atent Application (PTO-152)		

DETAILED ACTION

The application of Tsuji et al. for a "Remote control system" filed September 9, 2003 has been examined.

Claims 1-12 are pending.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-2 and 5-12 are rejected under 35 U.S.C. 102(b) as being anticipated by Nakano (US# 6,181,252).

Referring to claim 1, Nakano discloses a remote control system comprising (i.e. see Figure 1): a transmitter (1) (i.e. transmitter) including enciphering means (11) (i.e. microprocessor) for enciphering a predetermined code through the use of a specific key code peculiar to each system, said transmitter (1) (i.e. transmitter) transmitting the enciphered code produced by said enciphering means (col. 2 lines 29-56); and a receiver (2) (i.e. receiver) including deciphering means (21) (i.e. microprocessor) for receiving the enciphered code to decipher the enciphered code through the use of said specific key code (i.e. key code), said receiver (2) (i.e. receiver) outputting an

Page 3

instruction for activating a controlled object (i.e. doors, trunk) when the deciphered code from said deciphering means satisfies a predetermined relationship, wherein, in a case in which said specific key code (i.e. key code) to be used in said deciphering means (21) (i.e. microprocessor) is transmitted from said transmitter to said receiver(2) (i.e. receiver) and registered therein, said enciphering means (21) (i.e. microprocessor) enciphers said specific key code (i.e. key code) through the use of a default key code stored in said transmitter (1) (i.e. transmitter) and said receiver (2) (i.e. receiver), and said transmitter (1) (i.e. transmitter) transmits the enciphered specific key code to said receiver (2) (i.e. receiver) (col. 2 line 58 to col. 3 line 17; see Figures 1-3).

Referring to claim 2, Nakano disclose the system according to claim 1, wherein said transmitter (1) (i.e. transmitter) transmits the enciphered specific key code to said receiver when a predetermined operation is conducted (col. 2 lines 33-45).

Referring to claim 5, Nakano discloses a remote control system comprising (i.e. see Figure 1): a transmitter (1) (i.e. transmitter) including enciphering means (11) (i.e. microprocessor) having an enciphering table (i.e. see Figure 3) with a plurality of common key codes to be used for enciphering a predetermined code, said enciphering means (11) (i.e. microprocessor) changing one of said plurality of common key codes to a registration key code set in advance to change the contents of said enciphering table (i.e. see Figure 3) and enciphering said predetermined code through the use of the changed enciphering table (i.e. see Figure 3) including said registration key code,

and said transmitter (1) (i.e. transmitter) transmitting the enciphered predetermined code produced by said enciphering means (11) (i.e. microprocessor); and a receiver (2) (i.e. receiver) for outputting an instruction for activating a controlled object (i.e. doors, trunk), said receiver (2) (i.e. receiver) including deciphering means for receiving the enciphered predetermined code to decipher the enciphered predetermined code through the use of said registration key code stored in advance (col. 2 line 29 to col. 3 line 30; see Figure 1-3).

Referring to claim 6, Nakano disclose the system according to claim 5, wherein, when a predetermined operation is conducted with respect to said transmitter (1) (i.e. transmitter), said transmitter (1) (i.e. transmitter) transmits the enciphered predetermined code (col. 2 lines 33-57).

Referring to claim 7, Nakano disclose the system according to claim 5, wherein said receiver makes a decision as to whether or not the deciphered predetermined code is in a predetermined range with respect to a code stored in advance and, if the deciphered predetermined code is in said predetermined range, outputs said instruction for activating said controlled object (col. 2 lines 33-57).

Referring to claim 8, Nakano disclose the system according to claim 5, wherein the one of said plurality of common key codes to be changed to said registration key

Application/Control Number: 10/657,091 Page 5

Art Unit: 2635

code by said enciphering means is a key code specific to the system (col. 3 lines 19-27).

Referring to claim 9, Nakano discloses a remote control system for a vehicle (i.e. see Figure 1), comprising: a portable unit (1) (i.e. transmitter) including enciphering means (11) (i.e. microprocessor) having an enciphering table (i.e. see Figure 3) with a plurality of common key codes to be used for enciphering a predetermined code, said enciphering means (11) (i.e. microprocessor) changing one of said plurality of common key codes to a registration key code set in advance to change the contents of said enciphering table (i.e. see Figure 3) and enciphering said predetermined code through the use of the changed enciphering table (i.e. see Figure 3) including said registration key code, and said portable (1) (i.e. transmitter) transmitting the enciphered predetermined code produced by said enciphering means (11) (i.e. microprocessor); and a vehicle-mounted control unit (2) (i.e. receiver) for outputting an instruction for activating a controlled object, said vehicle-mounted control unit (2) (i.e. receiver) including deciphering means for transmitting said predetermined code to said portable unit (1) (i.e. transmitter) and for receiving said enciphered predetermined code returned from said portable unit (1) (i.e. transmitter) in response to the transmission of said predetermined code to decipher the enciphered predetermined code through the use of said registration key code (col. 2 line 29 to col. 3 line 30; see Figure 1-3).

Referring to claim 10, Nakano disclose the system according to claim 9, wherein, when a predetermined operation is conducted with respect to said portable unit (1) (i.e. transmitter), said portable unit (1) (i.e. transmitter) transmits the enciphered predetermined code (col. 2 lines 33-57).

Page 6

Referring to claim 11, Nakano disclose the system according to claim 9, wherein said vehicle-mounted control unit makes a decision as to whether or not the deciphered predetermined code is in a predetermined range with respect to said predetermined code transmitted therefrom and, if the deciphered predetermined code is in said predetermined range, outputs said instruction for activating said controlled object (col. 2 lines 33-57).

Referring to claim 12, Nakano disclose the system according to claim 9, wherein the one of said plurality of common key codes to be changed to said registration key code by said enciphering means is a key code specific to the vehicle (col. 2 lines 40-45 and col. 3 lines 19-27).

Application/Control Number: 10/657,091

Art Unit: 2635

Claims 3-4 are rejected under 35 U.S.C. 102(b) as being anticipated by Brinkmeyer et al. (US# 5,596,317).

Brinkmeyer et al. disclose a remote control system (i.e. see Figure available) comprising: a portable unit (20) (i.e. portable key) including enciphering means (21) (i.e. encoder) for enciphering a predetermined code through the use of a specific key code peculiar (i.e. Z', specific code transmitted from the vehicle to the portable device 20) to each system (G1-Gn) (i.e. vehicle functions of control devices), said portable unit (20) (i.e. portable key) transmitting the enciphered code produced by said enciphering means (21) (i.e. encoder), and a vehicle-mounted control unit (Gi) (i.e. vehicle control device) including deciphering means(13) (decoder) for transmitting said predetermined code to said portable unit (20) (i.e. portable key) and receiving said enciphered code returned from said portable unit (20) (i.e. portable key) in response to the transmission of said predetermined code to decipher the enciphered code through the use of said specific key code (col. 5 lines 3-12), said vehicle-mounted control unit (Gi) (i.e. vehicle control device) outputting an instruction for activating a controlled object when the deciphered code produced by said deciphering means (13) (decoder) satisfies a predetermined relationship with respect to the transmitted predetermined code, wherein, in a case in which said specific key code to be used in said deciphering means (13) (decoder) is transmitted from said portable unit (20) (i.e. portable key) to said vehicle-mounted control unit (Gi) (i.e. vehicle control device) and registered therein, said enciphering means (21) (i.e. encoder) enciphers said specific key code

through the use of a default key code stored in said portable unit (20) (i.e. portable key) and said vehicle-mounted control unit (Gi) (i.e. vehicle control device), and said portable unit (20) (i.e. portable key) transmits the enciphered specific key code to said vehicle-mounted control unit (Gi) (i.e. vehicle control device) (col. 5 lines 25-43; see Figure available).

Referring to claim 4, Brinkmeyer et al. disclose the system according to claim 3, wherein said portable unit transmits the enciphered specific key code to said vehicle-mounted control unit when a predetermined operation is conducted (col. 5 lines 25-35).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Mabuchi et al. (US# 5,774,065) disclose a remote control system and method using variable ID code.

Any inquiry concerning this communication or earlier communications form the examiner should be directed to Scott Au whose telephone number is (571) 272-3063. The examiner can normally be reached on Mon-Fri, 8:30AM – 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Horabik can be reached at (571) 272-3068. The fax phone numbers for the organization where this application or proceeding is assigned are (703)-872-3906.

Application/Control Number: 10/657,091 Page 9

Art Unit: 2635

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)-305-3900.

Scott Au

MICHAEL HORABIK
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600

Michael Jamber